

IPRNL - zaślepka z gwintem /metalowy/



Kategoria : Wkładki

Rodzaj profilu:
Okragły

Rodzaj montażu:
Wewnętrzny

Materiał:
Poliamid

Kolor:
Czarny

| Artykuł nr | Rodzaj profilu | Grubość ścianki /mm/ | Rodzaj gwintu | Wymiar H /mm/ | Wymiar L /mm/ | Opak. szt. |
|-------------|----------------|----------------------|---------------|---------------|---------------|------------|
| IPRNL22M8 | 22.0 | 1.5-2.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL25M8 | 25.0 | 1.5-2.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL253M8 | 25.0 | 3.0-3.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL28M8 | 28.0 | 1.5-2.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL28M10 | 28.0 | 1.5-2.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL283M8 | 28.0 | 3.0-3.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL30M8 | 30.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL30M10 | 30.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL302M8 | 30.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL302M10 | 30.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL32M8 | 32.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL32M10 | 32.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL322M8 | 32.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL322M10 | 32.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL35M8 | 35.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL35M10 | 35.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL352M8 | 35.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL352M10 | 35.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL353M8 | 35.0 | 3.0-3.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL353M10 | 35.0 | 3.0-3.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL38M8 | 38.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |

| Artykuł nr | Rodzaj profilu | Grubość ścianki /mm/ | Rodzaj gwintu | Wymiar H /mm/ | Wymiar L /mm/ | Opak. szt. |
|-------------|----------------|----------------------|---------------|---------------|---------------|------------|
| IPRNL35M10 | 38.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL382M8 | 38.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL382M10 | 38.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL40M8 | 40.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL40M10 | 40.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL402M8 | 40.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL402M10 | 40.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL403M8 | 40.0 | 3.0-3.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL403M10 | 40.0 | 3.0-3.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL42M8 | 42.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL42M10 | 42.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL422M8 | 42.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL422M10 | 42.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL423M8 | 42.0 | 3.0-3.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL423M10 | 42.0 | 3.0-3.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL45M8 | 45.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL45M10 | 45.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL452M8 | 45.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL452M10 | 45.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL453M8 | 45.0 | 3.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL453M10 | 45.0 | 3.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL454M8 | 45.0 | 4.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL454M10 | 45.0 | 4.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL50M8 | 50.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL50M10 | 50.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL502M8 | 50.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL502M10 | 50.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL504M8 | 50.0 | 4.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL504M10 | 50.0 | 4.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL54M8 | 54.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL54M10 | 54.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL542M8 | 54.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |

| Artykuł nr | Rodzaj profilu | Grubość ścianki /mm/ | Rodzaj gwintu | Wymiar H /mm/ | Wymiar L /mm/ | Opak. szt. |
|-------------|----------------|----------------------|---------------|---------------|---------------|------------|
| IPRNL542M10 | 54.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL544M8 | 54.0 | 4.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL544M10 | 54.0 | 4.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL55M8 | 55.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL55M10 | 55.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL554M8 | 55.0 | 4.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL554M10 | 55.0 | 4.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL60M8 | 60.0 | 1.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL60M10 | 60.0 | 1.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL602M8 | 60.0 | 2.0-2.5 | M8 | 4.0 | 25.5 | 100 |
| IPRNL602M10 | 60.0 | 2.0-2.5 | M10 | 4.0 | 25.5 | 100 |
| IPRNL604M8 | 60.0 | 4.5-5.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL604M10 | 60.0 | 4.5-5.0 | M10 | 4.0 | 25.5 | 100 |
| IPRNL70M8 | 70.0 | 3.0 | M8 | 4.0 | 25.5 | 100 |
| IPRNL70M10 | 70.0 | 3.0 | M10 | 4.0 | 25.5 | 100 |